

SAFETY DATA SHEET

1. Identification

Product identifier: AMMONIATED GLASS CLEANER

Other means of identification SDS number: RE100000640

Recommended restrictions

Product Use: Cleaner Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	Sprayway, Inc.
Address:	1000 INTEGRAM DR.
	Pacific, MO 63069
Telephone:	1-630-628-3000
Fax:	

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol

Category 1

Label Elements

Hazard Symbol:



Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Hazard(s) not otherwise classified (HNOC):	None.



3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	1 - <5%
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Propane	74-98-6	1 - <5%
Ethanol	64-17-5	0.1 - <1%
Sodium nitrite, Nitrous acid, sodium salt (1:1)	7632-00-0	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Inhalation:	Move to fresh air.
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.
Most important symptoms/effec	cts, acute and delayed
Symptoms:	No data available.
Hazards:	No data available.
Indication of immediate medical	l attention and special treatment needed
Treatment:	No data available.
5. Fire-fighting measures	
Conoral Fire Herender	
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
General Fire Hazards: Suitable (and unsuitable) exting	protected location. Move containers from fire area if you can do so without risk.
	protected location. Move containers from fire area if you can do so without risk.
Suitable (and unsuitable) exting Suitable extinguishing	protected location. Move containers from fire area if you can do so without risk. Juishing media
Suitable (and unsuitable) exting Suitable extinguishing media: Unsuitable extinguishing	protected location. Move containers from fire area if you can do so without risk. Juishing media Use fire-extinguishing media appropriate for surrounding materials.
Suitable (and unsuitable) exting Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from	protected location. Move containers from fire area if you can do so without risk. Juishing media Use fire-extinguishing media appropriate for surrounding materials. Do not use water jet as an extinguisher, as this will spread the fire. Vapors may travel considerable distance to a source of ignition and flash back.



I

Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	3
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.
Notification Procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.
7. Handling and storage	
Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lin	nit Values	Source
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ethanol	REL	1,000 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (2009)



Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
2-Propanol, 2-methyl-	STEL	150 ppm	450 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	100 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	100 ppm	300 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	100 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	150 ppm	450 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	100 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
SDS_US - RE100000632	



Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive	e limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	3,447.3786 - 4,826.3301 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure Inhalation: No data available.

- **Eye contact:** No data available.
- Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Inhalation:	No data available.

Skin Contact: No data available.



Eye contact:	No data available.
Ingestion: Information on toxicological effe	No data available. ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix: 37,600.14 mg/kg
Dermal Product:	ATEmix: 23,652.48 mg/kg
Inhalation Product:	ATEmix: 709.22 mg/l ATEmix : 177.3 mg/l
Repeated dose toxicity Product:	No data available.
Specified substance(s): Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study
Ethanol, 2-butoxy-	NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation
Propane	Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Ethanol	Experimental result, Key study NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,
Sodium nitrite, Nitrous acid, sodium salt (1:1)	Key study NOAEL (Rat(Male), Oral, 2 yr): 10 mg/kg Oral Experimental result, Supporting study LOAEL (Rat(Male), Oral, 14 Weeks): 115 mg/kg Oral Experimental result, Weight of Evidence study
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating Experimental result, Key study
Ethanol	in vivo (Rabbit): Not irritant Experimental result, Key study
Sodium nitrite, Nitrous acid, sodium salt (1:1)	in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study
Serious Eye Damage/Eye Irritat Product:	ion No data available.

Specified substance(s):	
Ethanol, 2-butoxy-	Rabbit, 24 - 72 hrs: Irritating
Ethanol	Rabbit, 1 - 24 hrs: Not irritating



Respiratory or Skin Sensit Product:	ization No data available.
Specified substance Ethanol, 2-butoxy- Ethanol	(s): Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising
Carcinogenicity Product:	No data available.
IARC Monographs on the I No carcinogenic comp	Evaluation of Carcinogenic Risks to Humans: onents identified
US. National Toxicology Po No carcinogenic comp	rogram (NTP) Report on Carcinogens: onents identified
US. OSHA Specifically Reg No carcinogenic comp	Julated Substances (29 CFR 1910.1001-1050): onents identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity	No data available.
Product:	
Product: Specific Target Organ Tox Product:	
Specific Target Organ Tox	icity - Single Exposure No data available.
Specific Target Organ Tox Product: Specific Target Organ Tox	icity - Single Exposure No data available. icity - Repeated Exposure

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Ethanol, 2-butoxy-	LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Ethanol	LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study



Sodium nitrite, Nitrous acid, sodium salt (1:1)	LC 50 (Oncorhynchus mykiss, 96 h): 0.54 - 26.3 mg/l Experimental result, Key study
Aquatic Invertebrates Product: Specified substance(s):	No data available.
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Ethanol, 2-butoxy-	EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study
Ethanol	LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study
Sodium nitrite, Nitrous acid, sodium salt (1:1)	EC 50 (Daphnia magna, 48 h): 15.4 mg/l Experimental result, Key study
Chronic hazards to the aquation	environment:
Fish Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study
Ethanol	NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting

Sodium nitrite, Nitrous NOAEL (Cyprinus carpio): 1.05 mg/l Experimental result, Key study

acid, sodium salt (1:1)
Aquatic Invertebrates

Product:

No data available.

Specified substance(s):	EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study
Ethanol, 2-butoxy-	EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

EthanolLC 50 (Daphnia magna): 454 mg/l Experimental result, Key study
NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

Sodium nitrite, Nitrous
acid, sodium salt (1:1)NOAEL (Penaeus monodon): 2 mg/l Experimental result, Key study
EC 50 (Penaeus monodon): 114.9 mg/l Experimental result, Key study
LC 50 (Penaeus monodon): > 95.6 mg/l Experimental result, Key study

Toxicity to Aquatic Plants Product:

No data available.

Persistence and Degradability

Biodegradation Product:	No data available.
Specified substance(s): Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Ethanol, 2-butoxy-	90.4 % Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Ethanol	95 % Detected in water. Experimental result, Key study



BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product:	CF) No data available.
Specified substance(s): Ethanol	Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read- across from supporting substance (structural analogue or surrogate), Supporting study
Partition Coefficient n-octanol / v Product:	vater (log Kow) No data available.
Mobility in soil:	No data available.
Known or predicted distribution to environmental compartments	
Butane	No data available.
Ethanol, 2-butoxy-	No data available.
Propane	No data available.
Ethanol	No data available.
Sodium nitrite, Nitrous acid, sodium salt (1:1)	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.
Contaminated Packaging:	No data available.
14. Transport information	

DOT

UN Number: UN Proper Shipping Name: Transport Hazard Class(es)	UN 1950 Aerosols, flammable
Class:	2.1
Label(s):	-
Packing Group:	
Marine Pollutant:	No
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.
IMDG	
UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	_
EmS No.:	
Packing Group:	-



Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IATA UN Number:	UN 1950
Proper Shipping Name: Transport Hazard Class(es):	Aerosols, flammable
Class: Label(s):	2.1
Packing Group:	_
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Butane	lbs. 100
Propane	lbs. 100
Ethanol	lbs. 100
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
Ammonium hydroxide ((NH4)(OH))	lbs. 1000
2-Propanol, 2-methyl-	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Flammable aerosol

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification <u>Chemical Identity</u> Butane Ethanol, 2-butoxy-	Reportable quantity lbs. 100
Propane	lbs. 100
Ethanol	lbs. 100
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
Ammonium hydroxide ((NH4)(OH))	lbs. 1000
2-Propanol, 2-methyl-	lbs. 100



SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Butane	10000 lbs
Ethanol, 2-butoxy-	10000 lbs
Propane	10000 lbs
Ethanol	10000 lbs
Sodium nitrite, Nitrous acid, sodium salt (1:1)	10000 lbs
Ammonium hydroxide ((NH4)(OH))	10000 lbs
2-Propanol, 2-methyl-	10000 lbs

SARA 313 (TRI Reporting)

	Reporting threshold	Reporting threshold for
Chemical Identity	for other users	manufacturing and processing
Ethanol, 2-butoxy-	N230 lbs	N230 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

1,6-Octadiene, 7-methyl-3- Carcinogenic. 03 2015 methylene-

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity Butane Ethanol, 2-butoxy-Propane Ethanol

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane Ethanol, 2-butoxy-Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol Not applicable



Inventory Status: Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date:	09/25/2019
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.