



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 294-002
Product name Premium Gold Grease
Effective date 03-Jan-2012
Company information Sprayway, Inc.
1005 Westgate
Addison, IL 60101 United States
Company phone General Assistance 630-543-7600
Emergency telephone US 800-424-9300
Version # 06
Supersedes date 29-Apr-2011

2. Hazards Identification

Emergency overview Aerosol. EXTREMELY FLAMMABLE. Will be easily ignited by heat, spark or flames. CONTENTS UNDER PRESSURE. Irritating to respiratory system.

Potential health effects

Routes of exposure Skin contact. Inhalation. Ingestion.

Eyes Health injuries are not known or expected under normal use.

Skin Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Irritating to respiratory system.

Ingestion Exposure by ingestion of an aerosol is unlikely. Components of the product may be absorbed into the body by ingestion.

Target organs Central nervous system.

Chronic effects May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Signs and symptoms Narcosis. Defatting of the skin. Skin irritation.

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|--|------------|---------|
| Aliphatic Petroleum Solvent | 142-82-5 | 30 - 40 |
| Propane | 74-98-6 | 15 - 20 |
| Paraffinic, Naphthenic Solvent | 64742-47-8 | 8 - 10 |
| Non-hazardous and other components below reportable levels | | 40 - 60 |

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Skin contact Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops and persists.

Inhalation Move to fresh air. Get medical attention if symptoms persist.

Ingestion Call a physician immediately.

Notes to physician Symptoms may be delayed.

5. Fire Fighting Measures

| | |
|--|---|
| Flammable properties | Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard. |
| Extinguishing media | |
| Suitable extinguishing media | Water. Water spray. Water fog. Dry chemical. Carbon dioxide (CO2). |
| Protection of firefighters | |
| Specific hazards arising from the chemical | Fire may produce irritating, corrosive and/or toxic gases. |
| Protective equipment and precautions for firefighters | In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. |

6. Accidental Release Measures

| | |
|--------------------------------|---|
| Methods for containment | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. |
| Methods for cleaning up | Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. After removal flush contaminated area thoroughly with water. |

7. Handling and Storage

| | |
|-----------------|--|
| Handling | Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. |
| Storage | Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 2 Aerosol. |

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

| Components | CAS # | TWA | STEL | Ceiling |
|-----------------------------|----------|----------|-----------------|-----------------|
| Aliphatic Petroleum Solvent | 142-82-5 | 400 ppm | 500 ppm | Not established |
| Propane | 74-98-6 | 1000 ppm | Not established | Not established |

OSHA

| Components | CAS # | TWA | STEL | Ceiling |
|-----------------------------|----------|----------|-----------------|-----------------|
| Aliphatic Petroleum Solvent | 142-82-5 | 500 ppm | Not established | Not established |
| Propane | 74-98-6 | 1000 ppm | Not established | Not established |

Personal protective equipment

| | |
|-------------------------------|--|
| Eye / face protection | Chemical goggles are recommended. |
| Skin protection | Wear appropriate chemical resistant clothing. Chemical resistant gloves. |
| Respiratory protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. |

9. Physical & Chemical Properties

| | |
|----------------------|-----------------------------|
| Appearance | Compressed liquefied gas. |
| Boiling point | 96.8 °F (36.1 °C) estimated |

| | |
|---------------------------|----------------------------------|
| Color | Gold. |
| Density | 0.74 g/cm ³ estimated |
| Flammability (HOC) | 26.798 kJ/g estimated |
| Flash back | Yes |
| Flash point | -156 °F (-104.4 °C) estimated |
| Form | Aerosol. |
| Freezing point | Not available |
| Odor | None known. |
| pH | Not applicable |
| Physical state | Liquid. |
| Pressure | 60 - 70 psig @ 70F |
| Solubility | Partially |
| Specific gravity | 0.7401 estimated |

10. Chemical Stability & Reactivity Information

| | |
|---|--|
| Chemical stability | Stable at normal conditions. Risk of ignition. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | May include oxides of nitrogen. |

11. Toxicological Information

| | |
|----------------------|--|
| Acute effects | Acute LD50: 6592 mg/kg estimated, Rat, Dermal Acute LC50: 57 mg/l/4h estimated, Rat, Inhalation |
|----------------------|--|

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

| | | |
|--------------------------------|------------|---|
| Aliphatic Petroleum Solvent | 142-82-5 | Inhalation LC50 Rat 103 g/m ³ 4 h; Oral LD50 Mouse 5000 mg/kg; Dermal LD50 Rabbit 3000 mg/kg |
| Paraffinic, Naphthenic Solvent | 64742-47-8 | Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg |
| Propane | 74-98-6 | Inhalation LC50 Rat 658 mg/L 4 h |

| | |
|-----------------------|--|
| Sensitization | Not expected to be hazardous by OSHA criteria. |
| Teratogenicity | Not expected to be hazardous by OSHA criteria. |

12. Ecological Information

| | |
|--------------------|--|
| Ecotoxicity | LC50 364 mg/L, Fish, 96.00 Hours, IC50 14682 mg/L, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. |
|--------------------|--|

13. Disposal Considerations

| | |
|------------------------------|--|
| Waste codes | D001: Waste Flammable material with a flash point <140 F |
| Disposal instructions | Contents under pressure. Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. |

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

| | |
|-------------------------|----------|
| Proper shipping name | Aerosols |
| Hazard class | 2.1 |
| UN number | UN1950 |
| Additional information: | |
| Special provisions | 153, N82 |
| Packaging exceptions | LTD QTY |
| Packaging non bulk | None |
| Packaging bulk | None |



IMDG

Basic shipping requirements:

| | |
|-------------------------|----------|
| Proper shipping name | AEROSOLS |
| Hazard class | 2.1 |
| UN number | 1950 |
| Additional information: | |
| Packaging exceptions | LTD QTY |
| Item | 5F |
| Labels required | None |
| Transport Category | 2 |



IATA

Basic shipping requirements:

| | |
|-------------------------|---------------------|
| Proper shipping name | Aerosols, flammable |
| Hazard class | 2.1 |
| UN number | 1950 |
| Additional information: | |
| Packaging exceptions | LTD QTY |
| Labels required | 2.1 |



15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|---|---|
| Section 302 extremely hazardous substance | No |
| Section 311 hazardous chemical | Yes |
| Hazard categories (311/312) | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No |

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of New and Existing Chemicals (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations**U.S. - Pennsylvania - RTK (Right to Know) List**

| | | |
|--------------------------------|------------|---------|
| Aliphatic Petroleum Solvent | 142-82-5 | Present |
| Paraffinic, Naphthenic Solvent | 64742-47-8 | Present |
| Propane | 74-98-6 | Present |

16. Other Information**Further information**

HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 1
Flammability: 4
Physical hazard: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MSDS sections updated

Product and Company Identification: Product and Company Identification
Transport Information: Product Shipping Name/Packing Group

Prepared by

Regulatory Compliance