MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT ID	ENTIFICATION
------------------------	--------------

Product Name: Product Code Number	Sprayway Fast Dissolve Ink & Paint Remover 310	LEGEND HMIS/NFPA	Health / 1
Product Use:	Cleaner		4 Flammability 0
WHMIS Class: DOT Classification:	Class D - Division 2B Not regulated as dangerous goods.	Moderate Slight	2 Physical Hazard 0 1 Personal Protection
TDG Classification: Manufacturer/Supplier:	Not regulated as dangerous goods. Claire Manufacturing 500 Vista Ave. Addison, IL 60101 General Assistance 630-543-7600 Emergency Telephone US: 866-836-8855 Emergency Tel. Canada: 952-852-4646.	Minimal	8 Personal Protection B

SECTION II - HAZARDOUS INGREDIENTS

Ingredient(s)	<u>CAS #</u>	<u>Wt%</u>	OSHA PELS	ACGIH-TLV	<u>LC50</u>	Oral LD50
Butanedioic acid, dimethyl ester	106-65-0	5 - 10	10 mg/m3 - TWA	10 mg/m3 - TWA	> 11 Mg/L rat	> 5000 mg/kg rat
Hexanedioic acid, dimethyl ester	627-93-0	5 - 10	Not established	Not established	> 11 mg/l/4h rat	1920 mg/kg rat
Alcohols, C12-15, ethoxylated	68131-39-5	10 - 30	Not established	Not established	5 mg/l rat	2000 mg/kg rat
Alcohols, C9-11, ethoxylated	68439-46-3	10 - 30	Not established	Not established	Not available	1200 mg/kg rat
Dimethyl glutarate	1119-40-0	10 - 30	Not established	Not established	6.1 mg/l/4h rat	8191 mg/kg rat
					-	
		SECT	ION III - PHYS	ICAL DATA		

SECTION III - PHI SICAL DATA

Boiling Point: Freezing Point:	195 °C -40 ⁰C	Specific Gravity:	1 - 1.02 @ 25°C (77°F) (H2O = 1)
Vapor Pressure:	<0.01 mmHg	Coefficient of Water/Oil Distribution:	Not available
Vapor Density: Solubility in Water: Physical State:	Same as water Miscible Liquid	% Volatile: Evaporation Rate:	0% None
Appearance: Odor:	Colorless Liquid Characteristic.	pH: Viscosity: Odor Threshold:	5-7 (5%) 10 Cps. Low Odor

SECTION IV - FIRE AND EXPLOSION DATA

- Flammability:	Not flammable by WHMIS/OSHA	criteria.			
Flash Point:	102 ⁰ C	LEL:	Not available	UEL:	Not available
Hazardous Combustion Products:	May include and are not limited to	: Oxide	s of carbon.		
Autoignition Temperature:	360 ⁰ C				
Explosion Data:					
Sensitivity to Mechanical Impact:	Not available				
Sensitivity to Static Discharge:	Not available				
Means of Extinction:	Treat for surrounding material.				
Special Fire Hazards:	Firefighters should wear a self-cor	ntained	breathing apparatu	s.	

SECTION V - REACTIVITY DATA

Conditions for Chemical Instability:	Stable under recommended storage conditions.
Incompatible Materials:	Strong acids. Strong bases.
Reactivity, and Under What Conditions:	Do not mix with other chemicals.
Hazardous Decomposition Products:	May include and are not limited to: Oxides of carbon when heated to decomposition.

SECTION VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

EFFECTS OF ACUTE EXPOSURE:

Eye:	Causes irritation.
Skin:	Causes irritation. May be absorbed through the skin.
Inhalation:	May cause respiratory tract irritation.
Ingestion:	May cause stomach distress, nausea or vomiting.

EFFECTS OF CHRONIC EXPOSURE:

Prolonged or repeated exposure can cause drying, defatting and dermatitis.
Hazardous by WHMIS/OSHA criteria.
: Non-hazardous by WHMIS/OSHA criteria.
Non-hazardous by WHMIS/OSHA criteria.
Non-hazardous by WHMIS/OSHA criteria.
Non-hazardous by WHMIS/OSHA criteria.
Non-hazardous by WHMIS/OSHA criteria.
Not available

SECTION VII - PREVENTATIVE MEASURES

Gloves:	Rubber gloves. Confirm with a reputable supplier first.
Eye Protection:	Safety glasses
Respiratory Protection:	Not normally required if good ventilation is maintained.
Other Protective Equipment:	As required by employer code.
Engineering Controls:	General ventilation normally adequate.
Leak and Spill Procedure:	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.
Waste Disposal:	Review federal, state/provincial, and local government requirements prior to disposal.
Handling Requirements:	Use good industrial hygiene practices in handling this material. Wash hands before breaks and immediately after handling the product.
Storage Requirements:	Keep out of reach of children. Store in a closed container away from incompatible materials.

SECTION VIII - FIRST AID

Eye:	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Skin:	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Inhalation:	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion:	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

SECTION IX - PREPARATION INFORMATION

Effective Date: 06-May-2011

Expiry Date: 06-May-2014

Issue Date: 06-May-2011

Prepared By: C Sprayway, Inc. , Attn" Regulatory Manager 630-543-7600

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.