

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

Product identifier: GLASS & PLASTIC PROTECTIVE COATING - SW-624

Other means of identification SDS number: RE1000043586

Recommended restrictions Recommended use: Coating Restrictions on use: Not known.

## Manufacturer Information

Manufacturer	
Company Name:	Sprayway, Inc.
Address:	1000 INTEGRAM DR.
	Pacific, MO 63069
	US
Telephone:	1-630-628-3000

#### Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

#### **Hazard Classification**

Physical Hazards Flammable aerosol

Category 1

#### Label Elements

Hazard Symbol:



Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.



# Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

## Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanol	67-63-0	5 - <10%
Butane	106-97-8	1 - <5%
Propane	74-98-6	1 - <5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

## 4. First-aid measures

## Description of necessary first-aid measures

Inhalation:	Move to fresh air.	
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.	
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.	
Personal Protection for First- aid Responders:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Most important symptoms/effe	ects, acute and delayed	
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	



Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.	
Special protective equipment an	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures	S	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.	
Accidental release measures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.	
Methods and material for containment and cleaning up:	Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.	
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.	
7. Handling and storage		
Handling		
Technical measures (e.g. Local and general ventilation):	No data available.	
Safe handling advice:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.	
Contact avoidance measures:	No data available.	
Storage		
Safe storage conditions:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1	

Safe packaging materials: Storage Temperature: No data available.

## 8. Exposure controls/personal protection

## **Control Parameters**

#### **Occupational Exposure Limits**

· •					
	Chemical Identity	Туре	Exposure	Limit Values	Source
	2-Propanol	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended

No data available.



	TWA	200 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	400 ppm	980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	400 ppm	<u> </u>	US. ACGIH Threshold Limit Values, as amended
	STEL	500 ppm	1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	25 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
1,2-Ethanediol	Ceiling	50 ppm	125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
1,2-Ethanediol - Vapor fraction	TWA	25 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	50 ppm		US. ACGIH Threshold Limit Values, as amended
1,2-Ethanediol - Aerosol, inhalable.	STEL		10 mg/m3	US. ACGIH Threshold Limit Values, as amended
Ethanol, 2-ethoxy-	TWA	5 ppm		US. ACGIH Threshold Limit Values, as amended
· · ·	REL	0.5 ppm	1.8 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	200 ppm	740 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	200 ppm	740 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

## **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL
Ethanol, 2-ethoxy- (2-Ethoxyacetic acid: Sampling time: End of shift at end of work week.)	100 mg/g (Creatinine in urine)	ACGIH BEL

## Exposure guidelines

Ethanol, 2-ethoxy-	US. ACGIH Threshold Limit Values, as	Can be absorbed through
	amended	the skin.

Appropriate Engineering Controls	No data available.	
Individual protection measures, s	such as personal protective equipment	
Eye/face protection:	Wear goggles/face shield.	
Skin Protection Hand Protection:	No data available.	
Skin and Body Protection:	No data available.	
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice fro	om
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.	
SDS_US - RE1000043586		4/11



## 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	Estimated 100 °C
Flash Point:	Estimated -104.4 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limit - upper (%):	Estimated 12 %(V)
Explosive limit - lower (%):	Estimated 2.5 %(V)
Vapor pressure:	3,447 - 4,826 hPa (20 °C)
Vapor density (air=1):	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	Estimated 425 °C
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

## 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.

## SDS\_US - RE1000043586



Eye contact:	No data available.
Ingestion:	No data available.
Symptoms related to the physic	cal, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological eff	ects
Acute toxicity (list all possibl	e routes of exposure)
Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
<b>Components:</b> 2-Propanol Butane	NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation
Propane	Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Skin Corrosion/Irritation Product:	No data available.
Components: 2-Propanol	in vivo (Rabbit): Not Classified
Serious Eye Damage/Eye Irritation Product: No data available.	
<b>Components:</b> 2-Propanol	Rabbit, 1 d: Category 2: Causes serious eye irritation Irritating.
Respiratory or Skin Sensitization Product:	on No data available.
Components: 2-Propanol	Skin sensitization:, in vivo (Guinea pig): Non sensitising



Carcinogenicity Product:	No data available.
IARC Monographs on the Ev No carcinogenic comport	valuation of Carcinogenic Risks to Humans: nents identified
US. National Toxicology Pro No carcinogenic comport	gram (NTP) Report on Carcinogens: nents identified
US. OSHA Specifically Regu No carcinogenic comport	lated Substances (29 CFR 1910.1001-1050), as amended: nents identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxic Product:	ity - Single Exposure No data available.
<b>Components:</b> 2-Propanol	Narcotic effect Category 3 with narcotic effects.
Specific Target Organ Toxic Product:	ity - Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.
12. Ecological information	

## **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish Product:	No data available.
<b>Components:</b> 2-Propanol	LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/I QSAR QSAR, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Aquatic Invertebrates Product:	No data available.
Components: 2-Propanol	LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study



## Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
Components: 2-Propanol	53 % (5 d) Detected in water. Experimental result, Key study
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.	
Partition Coefficient n-octanol / w Product:	<b>vater (log Kow)</b> No data available.
Mobility in soil:	No data available.
<b>Components:</b> 2-Propanol Butane Propane	No data available. No data available. No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.
Contaminated Packaging:	No data available.
14. Transport information	
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.:	UN 1950 Aerosols, flammable 2.1 —
Packing Group: Special precautions for user:	II Not regulated.



ΙΑΤΑ	
UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	-
Packing Group:	-
Special precautions for user:	Not regulated.
Other information	
Passenger and cargo aircraft:	Allowed. 203
Cargo aircraft only:	Allowed. 203
IMDG	
UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Ċlass:	2
Label(s):	-
EmS No.:	
Packing Group:	-
Special precautions for user:	Not regulated.

## 15. Regulatory information

## **US Federal Regulations**

Restrictions on use: Not known.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001 GLYCOL ETHERS SODIUM NITRITE AMMONIUM HYDROXIDE ETHYLENE GLYCOL ETHYLENE GLYCOL MONOETHYL ETHER 2-ETHOXYETHANOL Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Flammable aerosol

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

<b>Chemical Identity</b>	<u>% by weight</u>
2-Propanol	1.0%



## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

#### **US. California Proposition 65**

For more information go to www.P65Warnings.ca.gov.

#### US. New Jersey Worker and Community Right-to-Know Act Chemical Identity 2-Propanol

Butane Propane

## **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances Chemical Identity

2-Propanol Butane Propane

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

## International regulations

## Montreal protocol

Not applicable

#### Stockholm convention Not applicable

## **Rotterdam convention**

Not applicable

#### Kyoto protocol

Not applicable



Inventory Status: Australia AICS	Not in compliance with the inventory.
Canada DSL Inventory List	On or in compliance with the inventory
Canada NDSL Inventory	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory
Japan (ENCS) List	Not in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory
Philippines PICCS	On or in compliance with the inventory
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
US TSCA Inventory	On or in compliance with the inventory
EINECS, ELINCS or NLP	Not in compliance with the inventory.

## 16. Other information, including date of preparation or last revision

Issue Date:	11/19/2020
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.