

Revision Date: 09/17/2020

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

#### 1. Identification

Product identifier: All Purpose Cleaner - SW688

Other means of identification

**SDS number:** RE1000044531

Recommended restrictions
Recommended use: Cleaner
Restrictions on use: Not known.

**Manufacturer Information** 

Manufacturer

Company Name: Sprayway, Inc.

Address: 1000 INTEGRAM DR.

Pacific, MO 63069

US

Telephone: 1-630-628-3000

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2A

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.



Revision Date: 09/17/2020

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical advice/attention. Specific

treatment (see on this label). Take off contaminated clothing.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	5 - <10%
Octylphenoxy Polyethoxyethanol	9036-19-5	1 - <5%
Propane	74-98-6	1 - <5%
Silicic acid (H2SiO3), sodium salt (1:2)	6834-92-0	1 - <3%
Phosphoric acid, sodium salt (1:3)	10101-89-0	1 - <5%
Ethanol, 2-butoxy-	111-76-2	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### **Composition Comments:**

The components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

### 4. First-aid measures

# Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash contaminated

clothing before reuse. Get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Personal Protection for First-**

aid Responders:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# Most important symptoms/effects, acute and delayed

Symptoms: No data available.

**Hazards:** No data available.

# Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.



Revision Date: 09/17/2020

# 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures:

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

# Handling

Technical measures (e.g. Local and general ventilation):

No data available.

Safe handling advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not

pierce or burn, even after use. Avoid contact with skin.

Contact avoidance measures: No data available.



Revision Date: 09/17/2020

# Storage

Safe storage conditions: Pressurized container: protect from sunlight and do not expose to

temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1

Safe packaging materials: No data available.

**Storage Temperature:** No data available.

# 8. Exposure controls/personal protection

# **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values		Source	
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended	
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Ethanol, 2-butoxy-	TWA	20 ppm US. ACGIH Threshold Limit Values, as amended		amended	
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended	
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended	
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Benzene, 1,1'-oxybis Vapor.	STEL	2 ppm		US. ACGIH Threshold Limit Values, as amended	
	TWA	1 ppm		US. ACGIH Threshold Limit Values, as amended	
	PEL	1 ppm	7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	REL	1 ppm	7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	TWA	1 ppm	7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	



Revision Date: 09/17/2020

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL

**Appropriate Engineering** 

**Controls** 

No data available.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after

handling the product.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor Threshold: No data available.
pH: No data available.
Freezing point: No data available.
Boiling Point: No data available.

Flash Point: -104.44 °C

Evaporation Rate:

Flammability (solid, gas):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

**Vapor pressure:** 3,447.3786 - 4,136.8544 hPa (20 °C)

Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. No data available. **Self Ignition Temperature: Decomposition Temperature:** No data available. Kinematic viscosity: No data available.



Revision Date: 09/17/2020

Dynamic viscosity:No data available.Explosive properties:No data available.Oxidizing properties:No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

# Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 53,829.44 mg/kg

Dermal

**Product:** ATEmix: 66,368.16 mg/kg

Inhalation

**Product:** ATEmix: 1,990.05 mg/l Vapour

ATEmix: 446.19 mg/l Dusts, mists and fumes

Repeated dose toxicity

**Product:** No data available.



Revision Date: 09/17/2020

Components:

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Silicic acid (H2SiO3), NOAEL (Mouse(Female, Male), Oral, 90 d): 260 mg/kg Oral Experimental

sodium salt (1:2) result, Key study

Ethanol, 2-butoxy- NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key

studv

NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal

Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Components:

Silicic acid (H2SiO3), in vivo (Rabbit): Corrosive

sodium salt (1:2)

Phosphoric acid, estimated Irritating.

sodium salt (1:3)

Ethanol, 2-butoxy- in vivo (Rabbit): Irritating

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Components:

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Components:

Ethanol, 2-butoxy- Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.



Revision Date: 09/17/2020

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

No data available. **Product:** 

Components:

LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study Butane

Octylphenoxy LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 7.2

Polyethoxyethanol mg/I Mortality

LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study **Propane** 

Silicic acid (H2SiO3), LC 50 (Danio rerio, 96 h): 210 mg/l Experimental result, Key study sodium salt (1:2)

LC 0 (Danio rerio, 96 h): 180 mg/l Experimental result, Key study

Phosphoric acid, sodium

salt (1:3)

LC 50 (96 h); > 100 mg/l European Chemicals Agency.

http://echa.europa.eu/ - REACH registration dossiers submitted by

companies to ECHA

LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key Ethanol, 2-butoxy-

study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study Butane

Octylphenoxy Polyethoxyethanol LC 50 (Water flea (Daphnia magna), 48 h): 7.5 - 9.8 mg/l Mortality

Silicic acid (H2SiO3),

sodium salt (1:2)

EC 50 (Daphnia magna, 48 h): 1,700 mg/l Read-across based on grouping

of substances (category approach), Key study

ED 0 (Daphnia magna, 48 h): 100 mg/l Read-across based on grouping of

substances (category approach), Key study

Phosphoric acid, sodium

salt (1:3)

EC 50 (48 h): > 100 mg/l European Chemicals Agency,

http://echa.europa.eu/ - REACH registration dossiers submitted by

companies to ECHA

Ethanol, 2-butoxy-EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.



Revision Date: 09/17/2020

Components:

Ethanol, 2-butoxy- NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

**Components:** 

Ethanol, 2-butoxy- EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Components:

Phosphoric acid, sodium EC 50 (72 h): > 100 mg/l European Chemicals Agency,

salt (1:3) http://echa.europa.eu/ - REACH registration dossiers submitted by

companies to ECHA

**Persistence and Degradability** 

Biodegradation

**Product:** No data available.

Components:

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Ethanol, 2-butoxy- 90.4 % Detected in water. Experimental result, Key study

**BOD/COD** Ratio

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil: No data available.

Components:

Butane No data available.
Octylphenoxy Polyethoxyethanol No data available.
Propane No data available.
Phosphoric acid, sodium salt (1:3) No data available.
Ethanol, 2-butoxy- No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.



Revision Date: 09/17/2020

# 14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.:

Packing Group:

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Special precautions for user: Not regulated.

Other information

Passenger and cargo aircraft: Allowed. 203 Cargo aircraft only: Allowed. 203

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.:

Packing Group: -

Special precautions for user: Not regulated.

# 15. Regulatory information

# **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

**Chemical Identity** 

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

RCRA HAZARDOUS WASTE NO. D001

SODIUM PHOSPHATE, TRIBASIC

**GLYCOL ETHERS** 

Terpenes and Terpenoids, sweet orange-oil

SODIUM HYDROXIDE

Cyclohexene, 1-methyl-4-(1-methylethylidene)-

DIETHYL PHTHALATE



Revision Date: 09/17/2020

#### Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories**

Flammable aerosol, Skin Corrosion/Irritation, Serious Eye Damage/Eye Irritation

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous **Substances** 

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

**Chemical Identity** % by weight

Ethanol, 2-butoxy-1.0%

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

# **US State Regulations**

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act **Chemical Identity**

Butane

Propane

Phosphoric acid, sodium salt (1:3)

Ethanol, 2-butoxy-

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

### US. Pennsylvania RTK - Hazardous Substances **Chemical Identity**

Butane Propane

Phosphoric acid, sodium salt (1:3)

Ethanol, 2-butoxy-

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

# **Montreal protocol**

Not applicable

#### Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

#### **Kyoto protocol**

Not applicable



Revision Date: 09/17/2020

# **Inventory Status:**

Australia AICS On or in compliance with the inventory

Canada DSL Inventory List Not in compliance with the inventory.

EINECS, ELINCS or NLP Not in compliance with the inventory.

Japan (ENCS) List Not in compliance with the inventory.

China Inv. Existing Chemical Substances

On or in compliance with the inventory

Korea Existing Chemicals Inv. (KECI)

Not in compliance with the inventory.

Canada NDSL Inventory Not in compliance with the inventory.

Philippines PICCS On or in compliance with the inventory

US TSCA Inventory Not in compliance with the inventory.

New Zealand Inventory of Chemicals

On or in compliance with the inventory

Japan ISHL Listing Not in compliance with the inventory.

Japan Pharmacopoeia Listing

Not in compliance with the inventory.

Mexico INSQ Not in compliance with the inventory.

Ontario Inventory Not in compliance with the inventory.

Taiwan Chemical Substance Inventory

On or in compliance with the inventory

# 16.Other information, including date of preparation or last revision

**Issue Date:** 09/17/2020

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.