

Revision Date: 11/19/2020

## SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

#### 1. Identification

Product identifier: LEMON FURNITURE POLISH - SW-818

Other means of identification

**SDS number:** RE1000044205

Recommended restrictions
Recommended use: Coating
Restrictions on use: Not known.

#### **Manufacturer Information**

Manufacturer

Company Name: Sprayway, Inc.

Address: 1000 INTEGRAM DR.

Pacific, MO 63069

US

Telephone: 1-630-628-3000

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

## **Hazard Classification**

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Skin sensitizer Category 1
Aspiration Hazard Category 1

**Environmental Hazards** 

Acute hazards to the aquatic Category 3

environment

## **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.



Revision Date: 11/19/2020

# Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection. Avoid release to the environment.

Response: IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get

medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Specific treatment (see on this

label). Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	10 - <20%
Butane	106-97-8	5 - <10%
White mineral oil (petroleum)	8042-47-5	1 - <5%
Propane	74-98-6	1 - <5%
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	5989-27-5	0.1 - <1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

## 4. First-aid measures

#### **Description of necessary first-aid measures**

**Inhalation:** Move to fresh air.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately

remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction

develops, get medical attention.

**Eye contact:** Rinse immediately with plenty of water.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Personal Protection for First-

aid Responders:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.



Revision Date: 11/19/2020

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

#### 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

Methods and material for containment and cleaning

up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

## 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

No data available.



Revision Date: 11/19/2020

Safe handling advice: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin,

and clothing. Wash hands thoroughly after handling.

**Contact avoidance measures:** No data available.

Storage

Safe storage conditions: Store locked up. Pressurized container: protect from sunlight and do not

expose to temperatures exceeding 50°C. Do not pierce or burn, even after

use. Aerosol Level 1

Safe packaging materials: No data available.

Storage Temperature: No data available.

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure L	imit Values	Source
Distillates (petroleum), hydrotreated light	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values, as amended
-	TWA		200 mg/m3	US. ACGIH Threshold Limit Values, as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
White mineral oil (petroleum) - Mist.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
White mineral oil (petroleum) - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
2,6-Octadienal, 3,7-dimethyl Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values, as amended
1,4-Dioxane	TWA	25 ppm	90 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceil_ Time	1 ppm	3.6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	PEL	100 ppm	360 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Oxirane	Ceil_ Time	5 ppm	9 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	OSHA_ ACT	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended



Revision Date: 11/19/2020

REL	0.1 ppm 0.18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
TWA	1 ppm	US. ACGIH Threshold Limit Values, as amended
TWA	1 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
STEL	5 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
Oxirane (N-(2-hydroxyethyl)-valine (HEV) hemoglobin adducts:	5000 pmol/g (Hemoglobin adducts)	ACGIH BEL
Sampling time: Not critical.)		
Oxirane (S-(2-hydroxyethyl) mercapturic acid (HEMA): Sampling time:	5 μg/g (Creatinine in urine)	ACGIH BEL
End of shift.)	,	

**Exposure guidelines** 

Distillates (petroleum), hydrotreated light	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
2,6-Octadienal, 3,7-dimethyl-	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
1,4-Dioxane	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

Appropriate Engineering

**Controls** 

No data available.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

**Hand Protection:** No data available.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor Threshold: No data available.
PH: No data available.
Freezing point: No data available.
Boiling Point: No data available.

Flash Point: -104.44 °C

**Evaporation Rate:**No data available.
Flammability (solid, gas):
No data available.



Revision Date: 11/19/2020

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

**Vapor pressure:** 2,757 - 4,136 hPa (20 °C)

Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. **Self Ignition Temperature:** No data available. No data available. **Decomposition Temperature:** Kinematic viscosity: No data available. Dynamic viscosity: No data available. **Explosive properties:** No data available. Oxidizing properties: No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

## Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.



Revision Date: 11/19/2020

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Components:

Distillates (petroleum), NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation

hydrotreated light Experimental result, Key study

NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,

Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

White mineral oil NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral

(petroleum) Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Rabbit, 24 - 72 hrs: Not irritating

Cyclohexene, 1-methyl-4- NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result,

(1-methylethenyl)-, (4R)- Key study

Skin Corrosion/Irritation

**Product:** No data available.

Components:

Distillates (petroleum), in vivo (Rabbit): Not irritant

hydrotreated light

White mineral oil in vivo (Rabbit): Not irritant

(petroleum)

Cyclohexene, 1-methyl- in vivo (Rabbit): Not irritant

4-(1-methylethenyl)-,

(4R)-

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Components:

Distillates (petroleum), Rabbit, 24 - 72 hrs: Not irritating

hydrotreated light

White mineral oil

(petroleum)

4-(1-methylethenyl)-,

(4R)-

Cyclohexene, 1-methyl- Rabbit, 24 - 72 hrs: Not irritating

## Respiratory or Skin Sensitization

**Product:** No data available.



Revision Date: 11/19/2020

Components:

Distillates (petroleum), hydrotreated light White mineral oil Skin sensitization:, in vivo (Guinea pig): Non sensitising

Skin sensitization:, in vivo (Guinea pig): Non sensitising

· ·

Carcinogenicity

(petroleum)

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Components:

Distillates (petroleum),

May be fatal if swallowed and enters airways.

hydrotreated light

White mineral oil

May be fatal if swallowed and enters airways.

(petroleum)

Other effects: No data available.

## 12. Ecological information

#### **Ecotoxicity:**

### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Components:

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

White mineral oil NOAEL (Oncorhynchus mykiss, 96 h): >= 100 mg/l Experimental result, Key

(petroleum) study



Revision Date: 11/19/2020

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- EC 50 (Pimephales promelas, 96 h): 688 µg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

White mineral oil (petroleum)

NOAEL (Daphnia magna, 48 h): >= 100 mg/l Experimental result, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study

#### Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Components:

Distillates (petroleum), hydrotreated light

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

White mineral oil (petroleum)

NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting

study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

White mineral oil (petroleum)

NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

NOAEL (Freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence

study

**Toxicity to Aquatic Plants** 

Product:

No data available.

#### **Persistence and Degradability**

Biodegradation

**Product:** No data available.

Components:

Distillates (petroleum), hydrotreated light

(1-methylethenyl)-, (4R)-

61 % Detected in water. Experimental result, Supporting study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

White mineral oil (petroleum)

31 % (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Supporting study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Cyclohexene, 1-methyl-4- 80 % (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Key study

SDS\_US - RE1000044205



Revision Date: 11/19/2020

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

**Components:** 

Cyclohexene, 1-methyl-4- Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

(1-methylethenyl)-, (4R)-

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Components:

Cyclohexene, 1-methyl-4- Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study

(1-methylethenyl)-, (4R)-

Mobility in soil: No data available.

Components:

Distillates (petroleum), hydrotreated light

Butane

White mineral oil (petroleum)

Propane

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)
No data available.

No data available.

No data available.

No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.:

Packing Group:

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Special precautions for user: Not regulated.

Other information

Passenger and cargo aircraft: Allowed. 203
Cargo aircraft only: Allowed. 203



Revision Date: 11/19/2020

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): -

EmS No.:

Packing Group: -

Special precautions for user: Not regulated.

#### 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity OSHA hazard(s)

Oxirane Skin sensitization

Acute toxicity Cancer

Reproductive toxicity

Mutagenicity

Central nervous system

Eve irritation

Respiratory tract irritation

Skin irritation Flammability

#### CERCLA Hazardous Substance List (40 CFR 302.4):

#### **Chemical Identity**

Distillates (petroleum), hydrotreated light
UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY
RCRA HAZARDOUS WASTE NO. D001
1,4-DIETHYLENEOXIDE
ETHYLENE OXIDE
OXIRANE

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Flammable aerosol, Skin sensitizer, Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.



Revision Date: 11/19/2020

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

#### **US.** California Proposition 65

For more information go to www.P65Warnings.ca.gov.

# **US. New Jersey Worker and Community Right-to-Know Act Chemical Identity**

Distillates (petroleum), hydrotreated light Butane White mineral oil (petroleum)

## Propane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances

## **Chemical Identity**

Distillates (petroleum), hydrotreated light Butane White mineral oil (petroleum) Propane

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

## International regulations

#### Montreal protocol

Distillates (petroleum), hydrotreated light

#### Stockholm convention

Distillates (petroleum), hydrotreated light

#### **Rotterdam convention**

Distillates (petroleum), hydrotreated light

#### **Kyoto protocol**



Revision Date: 11/19/2020

## **Inventory Status:**

EINECS, ELINCS or NLP Not in compliance with the inventory.

Japan (ENCS) List Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI)

Not in compliance with the inventory.

Canada NDSL Inventory Not in compliance with the inventory.

Japan ISHL Listing

Not in compliance with the inventory.

Japan Pharmacopoeia Listing Not in compliance with the inventory.

Mexico INSQ Not in compliance with the inventory.

Taiwan Chemical Substance Inventory

Not in compliance with the inventory.

Canada DSL Inventory List On or in compliance with the inventory

US TSCA Inventory On or in compliance with the inventory

Australia AICS On or in compliance with the inventory

Philippines PICCS On or in compliance with the inventory

Ontario Inventory On or in compliance with the inventory

China Inv. Existing Chemical Substances

On or in compliance with the inventory

New Zealand Inventory of Chemicals

On or in compliance with the inventory

#### 16. Other information, including date of preparation or last revision

**Issue Date:** 11/19/2020

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.