

Revision Date: 04/15/2021

## SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

### 1. Identification

Product identifier: SW-9600 DRY GRAPHITE LUBRICANT

Other means of identification

**SDS number:** RE1000044281

Recommended restrictions
Recommended use: Lubricant
Restrictions on use: Not known.

**Manufacturer Information** 

Manufacturer

Company Name: Sprayway, Inc.

Address: 1000 INTEGRAM DR.

Pacific, MO 63069

US

Telephone: 1-630-628-3000

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

## **Hazard Classification**

## **Physical Hazards**

Flammable aerosol Category 1

#### **Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A

Toxic to reproduction Category 2

Specific Target Organ Toxicity - Category 3

Single Exposure (Narcotic effect.)

Specific Target Organ Toxicity - Category 2

Repeated Exposure

## **Environmental Hazards**

Acute hazards to the aquatic Category 3

environment

## Hazard Symbol:

**Label Elements** 



Signal Word: Danger



Revision Date: 04/15/2021

**Hazard Statement:** Extremely flammable aerosol.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid

release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention. Call a POISON

CENTER/doctor if you feel unwell.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up. Store in a well-ventilated place. Keep

container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

#### 3. Composition/information on ingredients

## Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	20 - <50%
Propane	74-98-6	20 - <50%
Isopropyl Alcohol	67-63-0	10 - <20%
Butane	106-97-8	10 - <20%
Benzene, methyl-	108-88-3	5 - <10%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

#### 4. First-aid measures

## **Description of necessary first-aid measures**

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs:

Get medical advice/attention.



Revision Date: 04/15/2021

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Personal Protection for First-**

aid Responders:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

**Special fire fighting** 

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Accidental release measures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.



Revision Date: 04/15/2021

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.

## 7. Handling and storage

### Handling

Technical measures (e.g. Local and general ventilation):

No data available.

Safe handling advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Contact avoidance measures: No data available.

**Storage** 

Safe storage conditions: Pressurized container: protect from sunlight and do not expose to

temperatures exceeding 50°C. Do not pierce or burn, even after use. Store

locked up. Aerosol Level 3

Safe packaging materials: No data available.

Storage Temperature: No data available.

#### 8. Exposure controls/personal protection

### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Type STEL	Exposure Limit Values		Source	
2-Propanone		1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	250 ppm		US. ACGIH Threshold Limit Values, as amended	
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended	
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Isopropyl Alcohol	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	TWA	200 ppm		US. ACGIH Threshold Limit Values, as amended	
	REL	400 ppm	980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	STEL	400 ppm		US. ACGIH Threshold Limit Values, as amended	
	STEL	500 ppm	1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	



Revision Date: 04/15/2021

	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
			•	amended
Benzene, methyl-	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
				amended
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
				amended
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX.	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	CONC			, , ,
	STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
			_	amended

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL
Isopropyl Alcohol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL

**Appropriate Engineering** 

**Controls** 

No data available.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

**Skin and Body Protection:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Do not handle until all safety precautions have been

read and understood. Obtain special instructions before use.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor Threshold: No data available.
pH: No data available.
Freezing point: No data available.

**Boiling Point:** -44 °C **Flash Point:** -19 °C

**Evaporation Rate:**No data available. **Flammability (solid, gas):**No data available.

Explosive limit - upper (%): 12 %(V)



Revision Date: 04/15/2021

Explosive limit - lower (%): 1.5 %(V)

Vapor pressure: No data available. Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. **Self Ignition Temperature:** No data available. **Decomposition Temperature:** No data available. Kinematic viscosity: No data available. Dynamic viscosity: No data available. **Explosive properties:** No data available. Oxidizing properties: No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

## Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.



Revision Date: 04/15/2021

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Components:

2-Propanone NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental

result. Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Isopropyl Alcohol NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation

Experimental result, Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Benzene, methyl- LOAEL (Rat(Female, Male), Óral, 13 Weeks): 1,250 mg/kg (Target

Organ(s): Liver, Kidney) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 625 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation - vapor): 2,355 mg/l Inhalation

Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Components:

2-Propanone in vivo (Rabbit): Not irritant Isopropyl Alcohol in vivo (Rabbit): Not Classified In vivo (Rabbit): Irritating

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Components:

2-Propanone Irritating.

Rabbit, 24 hrs: Minimum grade of severe eye irritant

Isopropyl Alcohol Rabbit, 1 d: Category 2: Causes serious eye irritation

Irritating.

Benzene, methyl- Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Components:

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising



Revision Date: 04/15/2021

Carcinogenicity

**Product:** No data available.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Components:

Benzene, methyl- Suspected of damaging fertility or the unborn child.

## **Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

Components:

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Isopropyl Alcohol Narcotic effect. - Category 3 with narcotic effects.

Benzene, methyl- Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

#### **Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

Components:

Benzene, methyl- Category 2

**Target Organs** 

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

**Aspiration Hazard** 

**Product:** No data available.

Components:

Benzene, methyl- May be fatal if swallowed and enters airways.

Other effects: No data available.

## 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.



Revision Date: 04/15/2021

**Components:** 

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Isopropyl Alcohol LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key

study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Benzene, methyl- LC 50 (Oncorhynchus kisutch, 96 h): 5.5 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Isopropyl Alcohol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Benzene, methyl- LC 50 (Water flea (Daphnia magna), 48 h): 54.6 - 174.7 mg/l Mortality

LC 50 (Ceriodaphnia dubia, 2 d): 3.78 mg/l Experimental result, Key study

#### Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Components:

Benzene, methyl- NOAEL (Oncorhynchus kisutch): 1.39 mg/l Experimental result, Key study

LOAEL (Oncorhynchus kisutch): 2.77 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Benzene, methyl- LOAEL (Ceriodaphnia dubia): 2.76 mg/l Experimental result, Key study

NOAEL (Ceriodaphnia dubia): 0.74 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

Biodegradation

**Product:** No data available.

Components:

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Isopropyl Alcohol 53 % (5 d) Detected in water. Experimental result, Key study



Revision Date: 04/15/2021

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Benzene, methyl- 100 % (14 d) Detected in water. Experimental result, Weight of Evidence

study

86 % Detected in water. Experimental result, Weight of Evidence study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Components:

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment

Experimental result, Not specified

Benzene, methyl- Leuciscus idus, Bioconcentration Factor (BCF): 90 Aquatic sediment

Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Components:

2-Propanone No data available.
Propane No data available.
Isopropyl Alcohol No data available.
Butane No data available.
Benzene, methyl- No data available.

Other adverse effects: Harmful to aquatic life with long lasting effects.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

**Contaminated Packaging:** No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): – EmS No.:

\_....

Packing Group: –

Special precautions for user: Not regulated.



Revision Date: 04/15/2021

#### **IATA**

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Special precautions for user: Not regulated.

Other information

Passenger and cargo aircraft: Allowed. 203 Cargo aircraft only: Allowed. 203

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.:

Packing Group: -

Special precautions for user: Not regulated.

#### 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

## **Chemical Identity**

2-Propanone ACETONE

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

RCRA HAZARDOUS WASTE NO. D001

BENZENE, METHYL-

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Serious eye damage or eye irritation, Reproductive toxicity, Specific target organ toxicity (single or repeated exposure)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Chemical Identity% by weightIsopropyl Alcohol1.0%Benzene, methyl-1.0%



Revision Date: 04/15/2021

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

## **US State Regulations**

#### **US.** California Proposition 65



**WARNING:** This product can expose you to chemicals including, Benzene, methyl- which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

# **US. New Jersey Worker and Community Right-to-Know Act Chemical Identity**

2-Propanone Propane Isopropyl Alcohol Butane Benzene, methyl-

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances Chemical Identity

2-Propanone
Propane
Isopropyl Alcohol
Butane
Benzene, methyl-

## **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

## International regulations

## Montreal protocol

2-Propanone

## Stockholm convention

2-Propanone

#### **Rotterdam convention**

2-Propanone

## **Kyoto protocol**



Revision Date: 04/15/2021

## **Inventory Status:**

Australia AICS On or in compliance with the inventory

Canada DSL Inventory List On or in compliance with the inventory

Canada NDSL Inventory Not in compliance with the inventory.

Ontario Inventory

On or in compliance with the inventory

China Inv. Existing Chemical Substances

On or in compliance with the inventory

Japan (ENCS) List On or in compliance with the inventory

Japan ISHL Listing On or in compliance with the inventory

Japan Pharmacopoeia Listing

Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI)

On or in compliance with the inventory

Mexico INSQ On or in compliance with the inventory

New Zealand Inventory of Chemicals

On or in compliance with the inventory

Philippines PICCS On or in compliance with the inventory

Taiwan Chemical Substance Inventory

On or in compliance with the inventory

US TSCA Inventory

On or in compliance with the inventory

EINECS, ELINCS or NLP Not in compliance with the inventory.

## 16.Other information, including date of preparation or last revision

**Issue Date:** 04/15/2021

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.