



SAFETY DATA SHEET

1. Identification

Product identifier: Penetrating Coil Cleaner

Other means of identification

SDS number: RE1000010102

Recommended restrictions

Product use: Cleaner

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Sprayway, Inc.
Address: 1000 INTEGRAM DR.
Pacific, MO 63069
Telephone: 1-630-628-3000
Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
Causes serious eye irritation.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition



source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	1 - <5%
Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4)	64-02-8	1 - <3%
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Propane	74-98-6	1 - <5%
Hydrocarbons, terpene processing by-products	68956-56-9	0.1 - <1%
Terpenes and Terpenoids, sweet orange-oil	68647-72-3	0.1 - <1%
Terpenes and Terpenoids, lemon-oil	68917-33-9	0.1 - <1%
Sodium nitrite, Nitrous acid, sodium salt (1:1)	7632-00-0	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation: Move to fresh air.

Skin Contact: Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed



Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1



8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ethanol, 2-butoxy-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm 120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	5 ppm 24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethanediol	Ceiling	50 ppm 125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethanediol - Vapor fraction	TWA	25 ppm	US. ACGIH Threshold Limit Values (03 2017)
	STEL	50 ppm	US. ACGIH Threshold Limit Values (03 2017)
1,2-Ethanediol - Aerosol, inhalable.	STEL	10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
Sodium hydroxide (Na(OH))	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (2008)
	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceil_Time	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm 27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm 27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm 18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	PEL	50 ppm 35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	5 ppm	US. ACGIH Threshold Limit Values (01 2010)
	TWA	5 ppm	US. ACGIH Threshold Limit Values (2008)
Ethanol, 2-ethoxy-	TWA	5 ppm	US. ACGIH Threshold Limit Values (2008)
	REL	0.5 ppm 1.8 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	200 ppm 740 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	TWA	200 ppm 740 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2008)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- - Inhalable fraction and vapor.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2008)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Silica	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)



	TWA	6 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	1 ppm	US. ACGIH Threshold Limit Values (2008)
	Ceil_Time	1 ppm 5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1 ppm 5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1 ppm 5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Ethanol, 2-ethoxy- (2-Ethoxyacetic acid: Sampling time: End of shift at end of work week.)	100 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: Spray Aerosol
Color: No data available.

Odor: No data available.

Odor threshold: No data available.



pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	Estimated 100 °C
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	Estimated 0.987 g/cm ³
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.



Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	ATEmix: 30,778.81 mg/kg
Dermal	
Product:	ATEmix: 35,105.26 mg/kg
Inhalation	
Product:	ATEmix: 1,052.63 mg/l ATEmix : 263.16 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study
Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4)	NOAEL (Rat(Female, Male), Oral, 103 Weeks): >= 500 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study
Ethanol, 2-butoxy-	NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Hydrocarbons, terpene processing by-products Sodium nitrite, Nitrous acid, sodium salt (1:1)	NOAEL (Rat(Female, Male), Oral, 28 d): 250 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study NOAEL (Rat(Male), Oral, 2 yr): 10 mg/kg Oral Experimental result, Supporting study LOAEL (Rat(Male), Oral, 14 Weeks): 115 mg/kg Oral Experimental result, Weight of Evidence study

Skin Corrosion/Irritation

Product: No data available.



Specified substance(s):

Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4)	in vivo (Rabbit): Not irritant Experimental result, Key study
Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating Experimental result, Key study
Hydrocarbons, terpene processing by-products	in vivo (Rabbit): Irritating Experimental result, Key study
Sodium nitrite, Nitrous acid, sodium salt (1:1)	in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4) Skin sensitization:, in vivo (Guinea pig): Non sensitising
Ethanol, 2-butoxy- Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure



Product: No data available.

Aspiration Hazard Product: No data available.

Specified substance(s):
Hydrocarbons, terpene processing by-products May be fatal if swallowed and enters airways.
Terpenes and May be fatal if swallowed and enters airways.
Terpenoids, sweet orange-oil

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):
Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study
NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key study
Ethanol, 2-butoxy- LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study
Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Hydrocarbons, terpene processing by-products LC 50 (Danio rerio, 96 h): 5.07 mg/l Experimental result, Key study
Terpenes and Terpenoids, sweet orange-oil LC 50 (96 h): < 10 mg/l
Terpenes and Terpenoids, lemon-oil EC 50 (96 h): 5.65 mg/l
Sodium nitrite, Nitrous acid, sodium salt (1:1) LC 50 (Oncorhynchus mykiss, 96 h): 0.54 - 26.3 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):
Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study



salt (1:4)

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Hydrocarbons, terpene EC 50 (Daphnia magna, 48 h): 2.1 mg/l Experimental result, Key study
processing by-products NOAEL (Daphnia magna, 48 h): 1.4 mg/l Experimental result, Key study

Terpenes and EC 50 (48 h): 1.1 mg/l
Terpenoids, lemon-oil

Sodium nitrite, Nitrous EC 50 (Daphnia magna, 48 h): 15.4 mg/l Experimental result, Key study
acid, sodium salt (1:1)

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4) NOAEL (Danio rerio): \geq 25.7 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study

Ethanol, 2-butoxy- NOAEL (Danio rerio): $>$ 100 mg/l Experimental result, Key study

Sodium nitrite, Nitrous acid, sodium salt (1:1) NOAEL (Cyprinus carpio): 1.05 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4) NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study

Ethanol, 2-butoxy- EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study
EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

Sodium nitrite, Nitrous acid, sodium salt (1:1) NOAEL (Penaeus monodon): 2 mg/l Experimental result, Key study
EC 50 (Penaeus monodon): 114.9 mg/l Experimental result, Key study
LC 50 (Penaeus monodon): $>$ 95.6 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Terpenes and EC 50 (72 h): 8 mg/l
Terpenoids, lemon-oil

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study



Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)	90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study
Ethanol, 2-butoxy-	90.4 % Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Hydrocarbons, terpene processing by-products	81 % (28 d) Detected in water. Experimental result, Key study
Terpenes and Terpenoids, sweet orange-oil	< 70 %
Terpenes and Terpenoids, lemon-oil	> 70 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment
Experimental result, Key study

Hydrocarbons, terpene processing by-products Bioconcentration Factor (BCF): 407.1 Aquatic sediment
Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Hydrocarbons, terpene processing by-products Log Kow: 4.34 - 4.46 25 °C
No Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Butane No data available.
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) No data available.
Ethanol, 2-butoxy- No data available.
Propane No data available.
Hydrocarbons, terpene processing by-products No data available.
Terpenes and Terpenoids, sweet orange-oil No data available.



Terpenes and Terpenoids, lemon-oil No data available.
Sodium nitrite, Nitrous acid, sodium salt (1:1) No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2
Label(s): –
EmS No.:
Packing Group: –

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950
Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
Class: 2.1
Label(s): –
Packing Group: –

Environmental Hazards: No
Marine Pollutant: No

Special precautions for user: Not regulated.

15. Regulatory information



US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Butane	lbs. 100
Propane	lbs. 100
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Ethenediol	lbs. 5000
Sodium hydroxide (Na(OH))	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000
Ethanol, 2-ethoxy-	lbs. 1000
	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Fire Hazard
- Immediate (Acute) Health Hazards
- Flammable aerosol
- Serious Eye Damage/Eye Irritation

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Terpenes and Terpenoids, sweet orange-oil		
Terpenes and Terpenoids, lemon-oil		
Cyclohexene, 1-methyl-4-(1-methylethylidene)-	lbs. 100	lbs. 500

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Butane	lbs. 100
Ethanol, 2-butoxy-	
Ethanol, 2-(2-ethoxyethoxy)-	
Propane	lbs. 100
Terpenes and Terpenoids, sweet orange-oil	
Terpenes and Terpenoids, lemon-oil	
Sodium nitrite, Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Ethenediol	lbs. 5000
Sodium hydroxide (Na(OH))	lbs. 1000



Ammonium hydroxide lbs. 1000
((NH4)(OH))
Ethanol, 2-ethoxy- lbs. 1000
Cyclohexene, 1-methyl-4-
(1-methylethylidene)-
lbs. 100

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
	lbs
Butane	10000 lbs
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)	10000 lbs
Ethanol, 2-butoxy-	10000 lbs
Propane	10000 lbs
Hydrocarbons, terpene processing by-products	10000 lbs
Terpenes and Terpenoids, sweet orange-oil	10000 lbs
Terpenes and Terpenoids, lemon-oil	10000 lbs
Sodium nitrite, Nitrous acid, sodium salt (1:1)	10000 lbs
1,2-Ethanediol	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs
Ammonium hydroxide ((NH4)(OH))	10000 lbs
2,6-Octadienal, 3,7-dimethyl-	10000 lbs
Ethanol, 2-ethoxy-	10000 lbs
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	10000 lbs
Silica	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Ethanol, 2-butoxy-	N230 lbs	N230 lbs.
Ethanol, 2-(2-ethoxyethoxy)-	N230 lbs	N230 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

1,2-Ethanediol	Developmental toxin. 06 2015
Ethanol, 2-ethoxy-	Developmental toxin. 03 2008
Ethanol, 2-ethoxy-	Male reproductive toxin. 03 2008
	Carcinogenic. 05 2011

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Butane



Ethanol, 2-butoxy-
Ethanol, 2-(2-ethoxyethoxy)-
Propane

US. Massachusetts RTK - Substance List

Chemical Identity

Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane
Ethanol, 2-butoxy-
Ethanol, 2-(2-ethoxyethoxy)-
Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Terpenes and
Terpenoids, sweet
orange-oil
Terpenes and
Terpenoids, lemon-oil

Stockholm convention

Terpenes and
Terpenoids, sweet
orange-oil
Terpenes and
Terpenoids, lemon-oil

--
--

Rotterdam convention

Terpenes and
Terpenoids, sweet
orange-oil
Terpenes and
Terpenoids, lemon-oil

Kyoto protocol



Inventory Status:

Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

Issue Date: 12/02/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.